



T&T Eco

# SAFETY DATA SHEET

**Triple7  
BioConcentrate**

INFO SAFE No.: LQ5XO  
ISSUED Date : 23/01/2017  
ISSUED by: T&T Eco

## 1. IDENTIFICATION

<b>GHS Product Identifier</b>	:	Triple7 BioConcentrate
<b>Product Code</b>	:	AABCN-5, AABCN-20, AABCN-200
<b>Company Name</b>	:	Track and Train Limited ( T&T Eco )
<b>Address</b>	:	J R House 236 Imperial Drive, Rayners Lane, Harrow, Middlesex, HA2 7HJ, United Kingdom
<b>Telephone</b>	:	+44 (0) 7599 516 240
<b>Emergency phone number</b>	:	+44 (0) 7599 516 240
<b>E-mail</b>	:	<a href="mailto:mike@tandteco.com">mike@tandteco.com</a>
<b>Recommended use of the chemical and restrictions on use</b>	:	Biodegradable and environmentally responsible fuel and oil spill clean up agent. Listed in the National Plan Oil Spill Control Agent (OSCA) Register for use as both a Surface Cleaning Agent (SCA) and as an Oil Herding Agent (OHA) on the AMSA National Plan website <a href="http://www.amsa.gov.au/environment/maritime-environmental-emergencies/national-plan">http://www.amsa.gov.au/environment/maritime-environmental-emergencies/national-plan</a> . This product is Readily Biodegradable according to Australian Standards AS4351.
<b>Additional Information</b>	:	Triple7 BioConcentrate is free of all toxic ingredients including petroleum products, glycol ethers, terpenes, strong acids, caustics, phosphates, lauryl sulphates, or volatile organic compounds (VOC's.)

## 2. HAZARD IDENTIFICATION

### GHS classification of the substance/mixture

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



T&T Eco

**Track and Train Ltd.**

+44 0203 984 1976

[mike@tandteco.com](mailto:mike@tandteco.com)

[www.tandteco.com](http://www.tandteco.com)



T&T Eco

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Ingredients

Name	CAS	Proportion
Ingredients determined not to be hazardous		100%

### 4. FIRST-AID MEASURES

#### Inhalation

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

#### Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.

#### Skin

Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.

#### Eye contact

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and/or persist seek medical attention.

#### First Aid Facilities

Eyewash and normal washroom facilities.

#### Advice to Doctor

Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use appropriate fire extinguisher for surrounding environment.

#### Unsuitable Extinguishing Media

Water jet.

#### Hazards from Combustion Products

Under fire conditions this product may emit toxic and/or irritating fumes including oxides of nitrogen, carbon monoxide and carbon dioxide.

#### Specific Hazards Arising From The Chemical

The product itself does not burn. No unusual fire or explosion hazards noted.

#### Decomposition Temperature

Not available



T&T Eco

Track and Train Ltd.



+44 0203 984 1976



mike@tandteco.com



www.tandteco.com



T&T Eco

### **Precautions in connection with Fire**

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) and full protective clothing to prevent exposure to vapours, fumes or products of combustion. Water spray may be used to cool down heat-exposed material. If safe to do so, remove containers from path of fire. Do not allow run-off from fire fighting to enter drains or water courses.

---

## **6. ACCIDENTAL RELEASE MEASURES**

---

### **Emergency Procedures**

Wear appropriate personal protective equipment and clothing. Stop the leak if safe to do so. Evacuate unprotected personnel. If possible contain the spill. Surfaces may become slippery after spillage. Flush area with water. If spilt on electrical equipment will cause short-circuits. Place inert absorbent, non-combustible material onto spillage. Collect the material and place into suitable labelled containers for recycling or disposal. Dispose of waste according to the applicable local and national regulations.

---

## **7. HANDLING AND STORAGE**

---

### **Precautions for Safe Handling**

Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well-ventilated area. Keep containers sealed when not in use. Prevent the build-up of mists or vapours in the work atmosphere. Maintain high standards of personal hygiene by washing hands prior to eating, drinking, smoking or using toilet facilities.

### **Conditions for safe storage, including any incompatibilities**

Store in a cool, dry, well-ventilated area, out of direct sunlight. Protect from freezing. Freezing will affect the physical condition but will not damage the material. Store in suitable, labelled containers. Keep containers tightly closed. Store away from incompatible materials. Ensure that storage conditions comply with applicable local and national regulations.

---

## **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

### **Occupational exposure limit values**

No exposure standards have been established for the mixture. However, over-exposure to some chemicals may result in enhancement of pre-existing adverse medical conditions and/or allergic reactions and should be kept to the least possible levels.

### **Biological Limit Values**

No biological limits allocated.

### **Appropriate Engineering Controls**

Use with good general ventilation. If mists or vapours are produced, local exhaust ventilation should be used.

### **Respiratory Protection**

Respiratory protection not normally required. If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable filter should be used. Reference Should be made to European Agency for Safety & Health at Work (<https://osha.europa.eu/en/themes/dangerous-substances/practical-tools-dangerous-substances/respiratorprotective-equipment>).


re: Selection, use & maintenance of respiratory Protective Devices (RPE) in order to make any necessary changes for individual circumstances.



T&T Eco

**Track and Train Ltd.**

 +44 0203 984 1976

 mike@tandteco.com

 www.tandteco.com



T&T Eco

### Eye Protection

Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with European Personal eye protection Standard EN 166, for Industrial Applications

### Hand Protection

Wear impervious chemical resistant gloves. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to European Standards EN ISO 374:2016 & 420 for safe Hand Protection (gloves) - Selection, use & maintenance.

### Body Protection

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist. When large quantities are handled the use of plastic aprons and rubber boots is recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Properties	Description	Properties	Description
Form	Liquid	Appearance	Clear free flowing liquid
Colour	Yellow to light amber	Odour	Mild surfactant
Decomposition Temperature	Not available	Melting Point	0°C (ASTM 097)
Boiling Point	100°C (ASTM 01120)	Solubility in Water	100% soluble
Specific Gravity	-1.01 (15.5°C) (ASTM 0891)	Ph	9.9-10.9
Vapour Pressure	< 5 mm Hg (37.8°C) (ASTM D323)	Vapour Density ( Air=1)	Not available
Evaporation Rate	>5 (relative to xylene)	Odour Threshold	Not available
Viscosity	5 cPs (24°C) (ASTM 02196)	Volatile Component	Volatiles: 93% by wt. (including water) (105°C) (ASTM 0800)VOC: None measurable by USEPA 601, 602, 608
Partition Coefficient: n-octanol/water	Not available	Density	-1.01 kg/l (15°C)
Flash Point	>100°C (ASTM D93 Closed Cup)	Flammability	Not flammable
Auto-Ignition Temperature	Not applicable	Flammable Limits - Lower	Not applicable
Flammable Limits - Upper	Not applicable	Other Information	Surface Tension: 31.5 dynes/cm (ASTM 01331)

## 10. STABILITY AND REACTIVITY

### Reactivity

Reacts with incompatible materials.



T&T Eco

Track and Train Ltd.

+44 0203 984 1976

mike@tandteco.com

www.tandteco.com



T&T Eco

### **Chemical Stability**

Stable under normal conditions of handling and storage.

### **Conditions to Avoid**

Extremes of temperature and direct sunlight.

### **Incompatible materials**

Not available

### **Hazardous Decomposition Products**

Thermal decomposition may result in the release of toxic and/or irritating fumes, smoke and gases including: carbon monoxide and carbon dioxide.

### **Possibility of hazardous reactions**

Not available

### **Hazardous Polymerization**

Will not occur

---

## **11. TOXICOLOGICAL INFORMATION**

---

### **Toxicology Information**

The available toxicity data is given below.

#### **Acute Toxicity – Oral**

LD50 (rat): >5000 mg/kg bw

#### **Acute Toxicity – Dermal**

LD50 (rabbit): >2000 mg/kg bw

#### **Ingestion**

Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

#### **Inhalation**

Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.

#### **Skin**

Causes mild skin irritation. Skin contact will cause redness, itching and swelling. Repeated exposure may cause skin dryness and cracking and may lead to dermatitis.

Primary Skin Irritation in Rabbits: Cat. III, Moderate Irritation at 72-hrs.

#### **Eye**

Causes mild eye irritation. On eye contact this product can cause tearing, stinging, blurred vision, and redness.

Sample caused minimal ocular irritation (In Vitro Ocular Irritation test)

#### **Respiratory sensitisation**

Not expected to be a respiratory sensitiser.

#### **Skin Sensitisation**

Not expected to be a skin sensitiser.



T&T Eco

**Track and Train Ltd.**

+44 0203 984 1976

mike@tandteco.com

www.tandteco.com





T&T Eco

#### **Germ cell mutagenicity**

Not considered to be a mutagenic hazard.

#### **Carcinogenicity**

Not considered to be a carcinogenic hazard.

#### **Reproductive Toxicity**

Not considered to be toxic to reproduction.

#### **STOT-single exposure**

Not expected to cause toxicity to a specific target organ.

#### **STOT-repeated exposure**

Not expected to cause toxicity to a specific target organ.

#### **Aspiration Hazard**

Not expected to be an aspiration hazard.

---

## **12. ECOLOGICAL INFORMATION**

---

#### **Ecotoxicity**

Eco toxicity for this product meets the Australian 2012 Oil Spill Control Agents requirements and is overall practically non-toxic (IMO/GESAMP classification.) Reference ESA TR1034 May 2013.

#### **Persistence and degradability**

The product is biodegradable. According to the results of tests of biodegradability, this product is considered as being readily biodegradable. (Modified Sturm Test OECD 301B)

#### **Mobility**

The product is miscible with water. May be spread in water systems.

#### **Bioaccumulative Potential**

Does not bioaccumulate.

#### **Other Adverse Effects**

Not available

#### **Environmental Protection**

Prevent large amounts from entering waterways, drains and sewers.

#### **Acute Toxicity - FishLC50**

(Pimephales promelas): 316mg/l/96h (100% survival at 100 mg/l)

#### **Acute Toxicity – Algae**

EC50 (Skeletonema costatum): 18.74 mg/kg/72h

#### **Other Information**

LC50 (Crustacea, Corophium volutator): >16,203 mg/kg/10d

EC50 (Saccostrea glomerata):17.1 ppm

EC50 (Saccostrea echinata) :17.5 ppm

EC50 (Mytilus galloprovincialis): 13.2 ppm

EC50 (Parvocalanus crassisotris): 14.7 ppm



T&T Eco

**Track and Train Ltd.**

+44 0203 984 1976

mike@tandteco.com

www.tandteco.com



T&T Eco

EC50 (Allorchestres compressa) : > 20 ppm  
EC50 (Lates calcarifer): 20 ppm  
EC50 (Heliocidaris tuberculata): 13.8 ppm/l  
C50 (Ioschrysis aff. galbana): 8.6 ppm/l  
C50 (Nitzchia closterium):> 20 ppm  
EC50 (Hormosira banksia):> 20ppm

---

## 13. DISPOSAL CONSIDERATIONS

---

### Disposal considerations

Dispose of waste according to applicable local and national regulations.

---

## 14. TRANSPORT INFORMATION

---

### Transport Information

#### Road and Rail Transport (ADG Code):

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).

#### Marine Transport (IMO/IMDG):

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

#### Air Transport (ICAO/IATA):

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by a

<b>U.N. Number</b>	: None Allocated
<b>UN proper shipping name</b>	: None Allocated
<b>Transport hazard class(es)</b>	: None Allocated
<b>IMDG Marine pollutant</b>	: No
<b>Transport in Bulk</b>	: None Allocated
<b>Special Precautions for User</b>	: None Allocated

---

## 15. REGULATORY INFORMATION

---

### Regulatory information

Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

### Poisons Schedule

Not Scheduled




T&T Eco

**Track and Train Ltd.**

 +44 0203 984 1976

 mike@tandteco.com

 www.tandteco.com



T&T Eco

---

## 16. OTHER INFORMATION

---

### Date of preparation or last revision of SDS

SDS reviewed: January 2017

Supersedes: August 2016

### References

- Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.
- Standard for the Uniform Scheduling of Medicines and Poisons.
- Australian Code for the Transport of Dangerous Goods by Road & Rail.
- Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.
- Workplace exposure standards for airborne contaminants, Safe work Australia.
- American Conference of Industrial Hygienists (ACGIH).
- Globally Harmonised System of classification and labelling of chemicals.

END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.



T&T Eco

**Track and Train Ltd.**

+44 0203 984 1976

mike@tandteco.com

www.tandteco.com